

Update Combined Limit on SM Higgs Production at CDF

W.-M. Yao (LBNL)

Higgs Discovery Group Meeting , 6/22/2007

- Use the exactly same method as before (Bayesian)
- Updated the combination with 1 fb⁻¹ results:
 - $WH \rightarrow l\nu b\bar{b}$: 1 fb⁻¹ (CDF 8355, Y. Kusakabe et al)
 - $ZH \rightarrow \nu\nu b\bar{b}$: 1 fb⁻¹ (CDF 8362, V. Veszpremi et al)
 - $ZH \rightarrow l^+l^-b\bar{b}$: 1 fb⁻¹ (CDF 8422, J. Efron et al)
 - $gg \rightarrow H \rightarrow W^+W^- \rightarrow l^+l^-\nu\nu$ in 1.1 fb⁻¹ using ME (CDF 8719, Shih-Chieh Hsu et al)
 - $H \rightarrow WW^* \rightarrow l^+\nu l^-\bar{\nu}$ in 1 fb⁻¹ using NN (CDF 8700, D. Benjamin et al)
 - Comparison of the NN and ME $H \rightarrow W^+W^-$ Analysis
(http://ppewww.physics.gla.ac.uk/stdenis/Hww/CombineBlessed/v2_13/CompareBlessedv213.ps)
- Documented in CDF 8816 for the combined CDF limit.
- Provides a check for Tom's combination (CDF 8784)

Standard Model Higgs Production and Decay

Mass (GeV/c ²)	σ_{WH} (fb)	σ_{ZH} (fb)	σ_{WW} (fb)	$B(H \rightarrow b\bar{b})$ (%)	$B(H \rightarrow W^+W^-)$ (%)
110	207.70	123.33	1281	77.02	4.41
115	178.08	106.70	1099	73.22	7.97
120	152.89	92.70	1006	67.89	13.20
130	114.51	70.38	801	52.71	28.69
140	86.00	54.20	646	34.36	48.33
150	66.14	41.98	525	17.57	68.17
160	51.03	32.89	431	4.00	90.11
170	38.89	26.12	357	0.846	96.53
180	31.12	20.64	297	0.541	93.45
190	24.27	16.64	249	0.342	77.61
200	19.34	13.46	211	0.260	73.47

- What we measure: the ratio of 95% upper limit on Xsec times branching ratio to SM.
- Assume the same for different channels. 10% is assigned to $g \rightarrow H \rightarrow W^+W^-$ cross section.

Systematic Uncertainties

Channels	$l\nu b\bar{b}$		$\nu\bar{\nu} b\bar{b}$		$l^+l^- b\bar{b}$		W^+W^-	
	ST	DT	ST	DT	ST	DT	HS/B	LS/B
Acceptance								
Luminosity (%)	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
btag SF (%)	5.3	16.0	4.3	8.7	5.3	16	0.0	0.0
Lepton ID (%)	2.0	2.0	2.0	2.0	1.	1.	1.5	1.5
JES (%)	3.0	3.0	(1-26)	(1.6-25)	3.0	3.0	0.0	0.0
MC modeling (%)	4.0	10.0	3.0	3.0	3.0	3.0	2.2	2.2
Trigger (%)	0.0	0.0	3.0	3.0	0.0	0.0	0.0	0.0
Backgrounds								
Mistag (%)	22	15	13	-28	24	17	0.0	0.0
QCD (%)	17	20	-7	-32	-50	-50	-0.23	-0.34
W/Z+HF(I) (%)	33	34	40	40	40	40	0	0
W+HF(II) (%)	0	0	-5	-20	0	0	0	0
Z+HF(II) (%)	0	0	-4	-11	0	0	0	0
Top(I) (%)	13.5	20	11	11	20	20	15	15
Top(II) (%)	0.	0.	-2	-3	0	0	0	0
Diboson(I) (%)	16	25	12	12	20	20	10	10
Diboson(II) (%)	0	0	-4	-9	0	0	0	0

- The WW systematics are divided into various sources (met, conversion, NNLO, xsec, PDF, lepton ID, and triggers), which are treated correlated with other channels.
- The positive value means correlated, the negative value means uncorrelated, but corrected in the same dataset.
- The results seem insensitive to these correlations changing from 100% to 0%

Special Treatment Shape Uncertainties

- For $ZH \rightarrow l^+l^-b\bar{b}$ with neural network analysis, there is additional systematic uncertainties due to the background shape.
- For WW, there is additional systematic for the fakes from W+jets
- Incorporate the shape systematic by Gaussian sampling two shapes (default*xsampling +(1-xsampling)*alternative)

Technique for Limit Combination

- Bayesian framework
 - Use Bayesian posterior probability
 - Assume flat prior density for the number of Higgs events

- Combined Binned Poisson Likelihood:

$$\mathcal{L}(R, \vec{s}, \vec{b}|\vec{n}) = \prod_{i=1}^{N_C} \prod_{j=1}^{Nbins} \mu_{ij}^{n_{ij}} e^{-\mu_{ij}} / n_{ij}!$$

- Combined Posterior Density Function:

$$p(R|\vec{n}) = \int d\vec{s} \int d\vec{b} \mathcal{L}(R, \vec{s}, \vec{b}|\vec{n}) \times s_{tot} / \int dR \int d\vec{s} \int d\vec{b} \mathcal{L}(R, \vec{s}, \vec{b}|\vec{n}) \times s_{tot}$$

- 95% Credibility Upper Limit R_{95} :

$$\int_0^{R_{95}} p(R|\vec{n}) dR = 0.95.$$

Obs. Limits(Expected) for Individual Channels

- Results in CDF 8816


mh	110	115	120	130	140	150	160	180
$Hl\nu b\bar{b}$	25.8	27.2	25.8	27.2	46.2	115.2		
Expected	14.6	17.2	20.1	30.0	57.9	138.4		
$H\nu\bar{\nu}b\bar{b}$	18.2	21.2	25.2	39.8	67.2			
Expected	13.0	15.1	17.4	26.0	47.3			
$Hl^+l^-b\bar{b}$	16.2	17.8	19.8	32.8	73.8	185.2		
Expected	16.4	18.2	20.7	31.0	62.6	164.0		
HWW	143.2	66.8	31.8	15.8	9.2	5.8	3.2	7.2
Expected	132.9	57.8	38.4	18.6	11.9	8.3	5.1	7.0

- Compare to Tom's results in CDF 8784v2

mh	110	115	120	130	140	150	160	180
$Hl\nu b\bar{b}$	23.7	24.7	24.2	28.8	49.0	117.7		
Expected	12.8	15.1	17.7	26.7	51.3	125.5		
$H\nu\bar{\nu}b\bar{b}$	17.4	20.9	23.5	38.6	64.7			
Expected	12.8	15.2	17.1	25.2	45.9			
$Hl^+l^-b\bar{b}$	15.3	17.2	19.5	30.4	64.9	161.1		
Expected	14.7	16.5	18.6	28.4	55.0	142.5		
HWW	152.0		32.3	16.2	8.9	5.7	3.4	6.8
Expected	128.8		38.5	18.3	11.5	8.5	5.2	7.1


- There are still some small differences ($< 10\%$), but overall in good agreement.

Likelihood of Combined Fit



- Likelihood vs R as M_H (red line: 95% upper limit).

Pseudo-experiments




- The observed upper limit shown as in arrow in red, consistent with expectation.
- There are some excesses in both $WH \rightarrow l\nu b\bar{b}$ and $ZH \rightarrow \nu\bar{\nu} b\bar{b}$ single tags near 100 GeV, but not statistical significant yet.

Comparison of the Combined Limit

Mass (GeV/c ²)	Combined Limits (pb)		Expected Limits (pb)	
	WM	Tom	WM	Tom
110	14.2	12.6	7.4	7.0
115	14.8	13.4	8.5	8.0
120	13.2	11.3	9.7	8.8
130	13.2	13.4	11.1	10.7
140	9.8	7.6	10.4	10.2
150	5.8	6.7	8.6	8.2
160	3.2	3.4	5.1	5.2
170	3.2	3.2	5.3	5.2
180	7.2	6.8	7.2	7.1
200	19.8	19.2	13.5	14.0

- Overall in good agreement.
- There are still some small differences in low mass region that some checks with no systematic may be needed.


CDF Combined Limit



Working toward Final CDF Combined Limit


- HWW group is working hard providing input data and strategies how to combine NN and ME results together
- **Documentation:**
ppewww.physics.gla.ac.uk/~stdenis/Hww/CombineBlessed/v2_13/CompareBlessedv213.ps
- **Input Data :**
ppewww.physics.gla.ac.uk/~stdenis/Hww/CombineBlessed/v2_13/cbv2_13-histos-log.tgz
- **Strategies:**
 - Divide the events into six independent samples:
(Overlap, NN only, ME only) x (High S/B, Low S/B)
 - Fit the discriminant scores in 2D for overlaps (ME vs NN) and 1D for non-overlaps
 - Need revaluation of systematics for different samples, but taken from the ME analysis for now.
- The WW template is used from Pythia, instead of NNLO
- Combine like other channels and many cross checks.

Comparison of HWW Combinations



- Compared the limits: 1) Overlap+ME only; 2) Overlap+NN only; 3) Overlap+NN+ME only; 4) ME blessed results
- The combination improves the expected limit by 20%
- Overlap+ME seems much different than the last ME blessed results

New vs Old ME Data



- The scores of new ME is improved using more statistics
- The WW template is from Pythia, instead of NNLO

More Comparisons


The observed/expected limit are shown without Systematic included:

mH (GeV)	Overlap+NN		Overlap+ME		Overlap+NN+ME	
	Tom	WM	Tom	WM	Tom	WM
110	106.2/95.8	107.2/102.0	176.1/94.0	186.2/101.5	118.4/81.6	125.8/90.2
120	44.5/31.6	40.8/32.1	56.5/27.7	54.8/29.6	43.0/25.3	42.2/27.6
130	15.6/14.3	15.2/15.2	18.9/13.1	18.8/14.6	13.6/12.1	13.8/13.6
140	14.2/8.5	13.8/9.1	15.8/8.0	15.2/8.5	12.4/7.2	12.2/7.9
150	10.9/6.4	10.8/6.9	10.3/5.8	10.2/6.5	8.0/5.3	7.8/6.0
160	8.3/4.2	8.2/4.4	6.8/3.9	6.8/4.4	5.5/3.4	5.2/3.8
170	9.5/4.4	9.2/4.5	7.5/4.0	7.8/4.3	7.1/3.6	7.2/3.9
180	13.5/6.1	13.2/6.3	8.9/5.2	8.8/5.6	9.1/4.9	8.8/5.3
200	29.8/12.9	28.8/13.7	22.9/10.6	22.8/11.4	19.4/8.6	19.2/9.6

The observed/expected limit are shown with Systematic included:

mH (GeV)	Overlap+NN		Overlap+ME		Overlap+NN+ME	
	Tom	WM	Tom	WM	Tom	WM
110	98.6/106.6	102.8/105.9	134.9/106.9	142.8/110.6	109.8/91.6	105.2/92.1
120	42.7/35.1	43.2/34.5	44.5/31.6	47.8/32.2	40.5/29.9	40.2/29.9
130	15.2/16.9	14.2/16.9	13.4/15.9	13.8/16.1	10.2/14.4	10.8/14.6
140	14.6/10.1	14.8/9.9	10.9/9.6	13.2/9.8	11.8/8.7	11.2/8.8
150	11.2/7.8	11.2/7.4	7.7/7.1	7.8/7.2	5.2/6.4	6.2/6.3
160	9.4/4.8	8.8/4.8	5.0/4.4	5.2/4.6	4.2/4.0	4.2/4.0
170	10.6/5.0	9.8/5.1	5.8/4.7	5.8/4.6	6.1/4.2	6.2/4.1
180	13.9/7.1	13.8/7.1	6.6/6.3	6.8/6.4	6.6/5.8	7.8/5.8
200	36.7/15.4	34.2/15.3	20.4/13.8	19.8/13.2	16.5/10.9	19.8/10.4

CDF Combined Limit with All Results



- There seems a significant gain (20%) to include HWW NN results.
- Some of bumping features may indicate not adequate sampling.

Conclusion

- We obtain a combined Higgs limit from CDF with a data sample of 1 fb^{-1} using Bayesian method.
 - $WH \rightarrow l\nu b\bar{b}$
 - $ZH \rightarrow \nu\bar{\nu} b\bar{b}$
 - $ZH \rightarrow l^+l^- b\bar{b}$
 - $gg \rightarrow H \rightarrow WW \rightarrow l^+l^- \nu\bar{\nu}$ ME analysis
 - $gg \rightarrow H \rightarrow WW \rightarrow l^+l^- \nu\bar{\nu}$ NN analysis
- Observed limits are mostly consistent with the expectation of Pseudo-experiments, except at $m_h=110$, which seems there are some excess of events in both $WH \rightarrow l\nu b\bar{b}$ and $ZH \rightarrow \nu\bar{\nu} b\bar{b}$ single tag channel.
- The 95% CL upper observed (expected) limits are a factor of 14.8(8.5) and 3.2(5.1) away from the Standard Model cross section for Higgs mass at 115 and 160 GeV/c^2
- The combination is in a good shape and the blessing can go quickly once HWW group certifies their data.